Vertex order shellings

Bennet Goeckner (University of San Diego)

with Marta Pavelka (Carnegie Mellon)

February 11, 2025

From graphs . . .

Interval graph intersection graph of intervals in $\mathbb{R}$



Unit interval graph same, with unit intervals

Ex: see above

non-ex:



. . . through vertex orders. . .

Interval graph order vertices s.t. $ac \in G$ and $a<c$ then $ab \in G$ for all $a<b<c$

Unit interval graph order vertices such that if $ac \in G$ and $a<c$ then $ab, bc \in G$ for all $a<b<c$

Ex



unit interval



interval, not unit

. . . to complexes

(Under-closed) order Order on the vertices of Δ such that

if $v_0 v_1 \dots v_d$ is a facet of Δ

then $v_0 w_1 \dots w_d$ is a facet of Δ

whenever $w_i \leq v_i$ for all $i \in [d]$.

Ex $\dim(\Delta) = 2$





Complexes continued

$\dim(\Delta) = d$

Unit interval order Order on the vertices of Δ such that

if $v_0 v_1 \dots v_d$ is a facet of Δ

then $w_0 w_1 \dots w_d$ is a facet of Δ

whenever $w_i \in \{v_0, v_0 + 1, \dots, v_d\}$ for all $i \in [d]$.

complete d-skeleton on $\{v_0, \dots, v_d\}$

Ex $\dim(\Delta) = 2$



✓



✗ No

Computation

Marta's code: `https://detector.martapavelka.com/`

Boxicity for graphs: Smallest k s.t. G is an intersection graph of axis-parallel boxes in $\mathbb{R}^k$

(cubicity)



↑ boxicity 2

- $k=1$: interval ← can be determined in polynomial time
- $k \geq 2$: NP-hard
  ↑ finite for all graphs

Higher dimensions?

↑ intersecting for simplicial complexes? ??

↑ complexity for determining?

University of San Diego

Shellability

A pure d-dimensional complex Δ is **shellable** if there exists an order on its facets $F_1, F_2, \ldots, F_k$ such that

$$\langle F_1, \ldots, F_i \rangle \cap \langle F_{i+1} \rangle$$

is pure and $(d-1)$-dimensional for each $1 \leq i \leq k-1$.

dim(Δ)=2



Shelling ✓

Not ✗

Shellable: very nice!

Lex shellings

A shelling $F_1, F_2, \ldots, F_k$ of Δ is a **lex shelling** if it is induced by the lexicographic order on the vertices of Δ.

$\dim(\Delta) = 2$



$1 < 2 < 3 < 4 < 5 < 6$

135, 136, 235, 245 ☺

$1 < 2 < 4 < 3 < 5 < 6$

135, 136, 245, 235 ☹

Shellability is hard

Determining shellability : NP-hard in $\dim(\Delta) \geq 2$
(Goaoc et. al 19)

Matroids : Björner '88 Pure complex is matroid independence complex iff ALL vertex orders induce shellings!

(Can get away with checking $\approx 3^n$ permutations if you know which to check
n = # vertices)

The question of the day

What is the relationship between these

vertex orders and **lex shellings**?

Back to graphs

Proposition (G–Pavelka)

Assume Δ is 1-dimensional and connected. ← shellable!

An interval order induces a shelling.

Idea: G' : partially shelled

ij : edge to add $(i<j)$



Higher dimensions

dual graph is connected

Proposition (G–Pavelka)

Let $\dim \Delta > 1$. *Assume* Δ *is pure and* ***strongly connected****.*

INTERVAL $\not\Rightarrow$ shellable

Ex: $\Delta = \langle 123, 124, 125, 234, 345 \rangle$

- $\text{link}(5) = \langle 12, 34 \rangle \rightsquigarrow$! ! not shellable

$\Rightarrow \Delta$ is not shellable!

A *little bit* stronger

Theorem (G–Pavelka)

Let $\dim \Delta \geq 1$. *Assume* Δ *is pure and strongly connected.*

Any ***unit interval order*** *induces a* ***lex shelling*** *on* Δ.

Idea:

- Add facets w/ gaps is easy
  ($F = 12\ 45$)
- Gap-free facets: Similar to 1-dim case

Vertex decomposability

Definition

A pure simplicial complex Δ is **vertex decomposable** if

(i) either Δ is a simplex

(ii) or there exists a vertex v such that $\text{link}_\Delta(v)$ and $\text{del}_\Delta(v)$ are vertex decomposable, and every facet of $\text{del}_\Delta(v)$ is a facet of Δ.



University of San Diego

Vertex decomposability

Definition

A pure simplicial complex Δ is **vertex decomposable** if

(i) either Δ is a simplex

(ii) or there exists a vertex v such that $\text{link}_\Delta(v)$ and $\text{del}_\Delta(v)$ are vertex decomposable, and every facet of $\text{del}_\Delta(v)$ is a facet of Δ.

Theorem (G–Pavelka)

Let $\dim \Delta > 1$. *Assume* Δ *is pure and strongly connected.*

If Δ *has a* ***unit interval order*** *then* Δ *is* ***vertex decomposable****.*

University of San Diego

Simon's Conjecture

$\dim(\Delta)=d$, n vertices

Shelling completable: Any shelling of Δ can be extended to complete d-skeleton on $[n]$.

rank $d+1$ uniform matroid

Conjecture (Simon 93)

Every shellable complex is shelling completable.

Theorem (Coleman et. al 22)

Every vertex decomposable complex is shelling completable.

Cor: VI + SC ⇒ SC

University of San Diego

Questions



Efficiency (and boxicity?) ??

Lex shellings If Δ has a lex shelling, is it shellly completable?

Billera–Myers: Shellability of interval orders

University of San Diego